

RAILTON OWNERS CLUB

2015- NEW SPARE PARTS LIST

For Railton (R); Brough Superior (BS); Hudson (H); Essex (E); Terraplane (T) models as indicated.

1(a) ENGINE	Models	Years	Price
Recond. Camshaft - EXCHANGE	All 8-cyl } T-8 }	34-52 } 33 }	
Camshaft Thrust Washer	All 8-cyl } All 6-cyl, 33 T-8 }	34-52 } 34-52 }	
Camshaft Thrust Spring	All 8-cyl } All 6-cyl, 33 T-8 }	34-52 } 34-52 }	
Cam Follower - EXCHANGE	All 8-cyl } All 6-cyl }	32-52 } 34-47 }	(Reconditioned)
Cam Follower - EXCHANGE (Recond.With guide)	As above	As above	
Tappet Screw (exch.)	As above	As above	
Timing Gear set	All 8-cyl } All 6-cyl } All T }	34-52 } 34-47 } 32-33 }	
Valve, Inlet 11/32" dia. stem	All 8-cyl	38-52	
Valve, Exhaust 11/32" dia. stem (Above recommended as replacements for all 8-cyl engines 34-37 and 33 T-8)	All 8-cyl	38-52	
Valve, Inlet & Exhaust 11/32" dia. stem (Above recommended as replacements for all 6-cyl 32-37)	All 6-cyl	38-47	
Valve Guide 11/32" dia. bore (Use with all replacement valves)	All - C.I. All - Bronze	38-47 38-47	
Valve Springs	All 8-cyl, 32-33T } All 6-cyl }	34-52 } 34-47 }	
Valve Spring Cup - use with all above valves	All 8-cyl, 32-33T } All 6-cyl }	34-52 } 34-47 }	
Valve cotter - use with all above valves	All 8-cyl, 32-33T } All 6-cyl }	34-52 } 34-47 }	
Little End Bush	All 8-cyl, 32-33T } All 6-cyl }	34-52 } 34-47 }	
Cylinder Liners	All 3" Bore Engines		
Pistons and Rings - Please Enquire			
Exhaust manifold	All 8 cyl.	'33-'36	
Inlet Manifold	All 8 cyl.	'37-'52	

1(b) NUTS and STUDS

	Models	Years	Price
Nut, Con Rod (self-lock)	All 8-cyl, 32-33 T } All 6-cyl }	34-52 } 34-47 }	
[Use also for Flywheel (6 off) and for 32-35 Propshaft (4 off)]			
Nut + Washer, S/steel, Manifold (Use also for 6-cyl Head)	3/8" U.N.C. All }	All }	
Nut + Washer, S/steel, Cyl. Head	7/16" U.N.C.	All 8-Cyl.	

Nut, Main Bearing (self-lock)	All	All	
Stud, S/steel, Manifolds	3/8" U.N.C. All	All	
Stud, S/steel, Cyl. Head (essential with Alloy Head)	7/16" U.N.C.	All	
Stud, High tensile - Cyl. Head	All 8-cyl	All	
Stud, High tensile - Cyl. Head	All 8-cyl	All	
Washer, Sump and Timing Cover	5/16" Plain	All	
Stud, S/steel, Carb/Manifold	Single Choke	32-47	
	Twin Choke	37-52	

2. CLUTCH - EXCHANGE ONLY!

	Models	Years	Price
Clutch Plate 10" (Reconditioned)	As Above	34-52	
Clutch Plate 9" (New)	Most 6-cyl	32-47	
Clutch Plate 9" (Reconditioned)	As Above	32-47	
Clutch Finger (New)	All 8-cyl, 32-33T } All 6-cyl }	34-52 } 32-47 }	
Clutch Finger Pin	As Above	As Above	
Linkage Cushion	All	37-47	
Linkage Bush	All	37-47	

3. GEARBOX

	Models	Years	Price
Circlip, Lay shaft	All	32-39	
Circlip, 2nd Gear (7/64", 1/8" or 5/32" wide)	All	32-39 }	
Thrust Washer, 2nd Gear	All	32-39	
Slide Rod	All	Late 35-39	
Lock Rod Guide (This Slide Rod + Guide recommended for all 32-35 gearboxes)	All	Late 35-39	
Selector Rod 2nd/Top -6 1/2" long	All	Approx 32-35	
Selector Rod 2nd/Top -7 5/8" long	All	35 Approx 39	
Selector Rod 1st/Rev.	All	32-39	
Set of 26 needles & 7 x 3/16" balls	All	34-39	

4. PROPSHAFT AND REAR AXLE

	Models	Years	Price
Universal Joint Repair Kit	All, not 33-H	32-35	
Universal Joint Repair Kit	All	36 early 39	
Prop Shaft Nut	All	36 early 39	" " "
	All, not '33-H	'33-35	
Thrust Washer for Diff. Gear	All, not 33-H	32-34	
Half shaft nut	Most		

5. FRONT AXLE AND STEERING BOX

	<u>Models</u>	<u>Years</u>	<u>Price</u>
King Pin & Bush Set	All, not 33-H	32-36	
King Pin & Bush Set	All	37-39	
Track Rod Ends	Most, 33 T-8	33-39	
Track Rod Ends		32and36	
Bush, Top of Steering Column	All, not 33-H	32-36 } 37-?	
Steering Box Lubrication Oil	All	All	
Axle Wedges	All	32-35	
Drop Arm (Reconditioned) Exchange	All	32-39	
Front Steering Arm Exchange	All	32-39	

6. ELECTRICS

	<u>Models</u>	<u>Years</u>	<u>Price</u>
Tune-Up Kit (Comprising Dist. Cap, Rotor, Points, Condenser)	All 8-cyl	34-52	
Tune-Up Kit (as above)	All 6-cyl	32-50	
Distributor Cap	All 8-cyl	34-47	
Distributor Cap	All 8-cyl	47-52	
Distributor Cap	All 6-cyl	32-50	
Contact Set	All 8-cyl	34-52	
Contact Set	All 6-cyl	32-50	
Rotor	All 8-cyl	34-47	
Rotor	All 8-cyl	47-52	
Rotor	All 6-cyl	32-50	
Condenser	All	32-52	
Spark Plugs (L10 equiv.)	All	32-35 (6) 32-35 (8)	
Spark Plugs (J8 equiv.)	All	36-39 (6) 36-39 (8)	
H. T Cable, Black Butyl (High Temp. Use)	All	32-52	
Connectors, H.T. Lead/Plug (Orig. Type)	All	32-52 (8) (6)	
Connector, H.T. Lead/Dist. Cap	All	32-52	
Cover, H.T. Lead/Dist. Cap	All	32-52	
Ignition Coil 6v.	All		
Ignition Coil 12v.	All		
Oil Pressure Switch Insert	All 8-cyl	32-52	
Oil Pressure Switch Insert	All 6-cyl	32-47	
Starter Motor Brushes	All	32-52	
Dynamo Brushes	All	37-47	
Dynamo Brushes	All	?-36	
Starter Solenoid	All	34-52	
Bush, Autolite dynamo rear	All	32-35	

7. BRAKES

	<u>Models</u>	<u>Years</u>	<u>Price</u>
Master Cylinder	All	36-47	
Wheel Cylinder, new L. or R.	All	36-47	
Repair Kit, Master Cylinder	All	36-47	
Repair Kit, Wheel Cylinder	All	36-47	
Hose	All	36-47	
Hose Nut	All	36-47	
Pipe Nut 20 T.P.I. or 24 T.P.I.	All	36-47	
Recond. Brake Shoes - EXCHANGE	8-cyl, not 33-H	33-35	
Recond. Brake Shoes - EXCHANGE	8-cyl	36-40	
Recond. Brake Shoes - EXCHANGE	6-cyl	36-?	
Recond. Brake Shoes - EXCHANGE	6-cyl	32-35	
Some linings-enquire			
Back Plate Slot Cover	All	32-39	
Cable brake pull off spring	All	32-35	

8. FUEL SYSTEM

	<u>Models</u>	<u>Year</u>	<u>Price</u>
Carburettor Overhaul Kit	All, not 33-H one choke	32-39	
Carburettor Overhaul Kit	All 2 choke	37-47	
Pump Overhaul Kit (Series `R')	All	32-36	
Pump Overhaul Kit (Series `AK')	R, BS, Some H	37-40	
Pipe Coupler	All	32-47	
Pipe Nut	All	32-47	
Fuel Pump Series `R'	All	34-36	
Fuel Pump Series `AK'	R, BS, Some H	37-40	
Flexible pipe to pump	All	32-50	

9. COOLING SYSTEM

	<u>Models</u>	<u>Year</u>	<u>Price</u>
Water Manifold (St.Steel)	33-T, All 8-cyl	34-35	
Water Manifold (St.Steel)	All 8-cyl	36-52	
Water Manifold (St.Steel)	All 6-cyl	32-35	
Water Manifold (St.Steel)	All 6-cyl	36-47	
Setscrew, Washer, Fibre washer }	All 8-cyl	33-52	
for Water Manifold }	All 6-cyl	32-47	
Recond. Water Pump - EXCHANGE	All, not 33-H	32-33	
Recond. Water Pump - EXCHANGE	All	34-35	
Recond. Water Pump - EXCHANGE	All	36-39	
Thermostat, By-Pass Type	R, BS, Some H	36-39	
Thermostat, Choker Type	Some H & T	36-39	
Fan Belt	33 T-8	33	
Fan Belt	All 8-cyl	34-35	
Fan Belt	All 8-cyl	36-47	
Fan Belt	All 6-cyl	32-35	
Fan Belt	All 6-cyl	36-39	
Hose, 1 1/2" Bore, Straight	All	All	
Hose, 1 1/2" Bore, Convolved	All	All	
Hose By Pass 1" strt.	All	36-39	
Radiator Cap (unplated)	R.		

10. SUSPENSION

	<u>Models</u>	<u>Year</u>	<u>Price</u>
Spring Shackle & Bushes - 2 1/4" crs	All, not 33-H	33-39	
Spring Shackle & Bushes - 3" crs	Most not 33-H	33-36	
Spring Shackle & Bushes - 3 1/2" crs	All	34-35	
Shackle Bush - R.H. Thread	All, not 33-H	33-39	
Shackle Bush - L.H. Thread	All	37-39	
Bush & Bolt, Front Spring -	All, not 33-H	32-33	
Bush & Bolt, Front Spring - 5/8" dia.	All	34-35	
11/16" dia. All		34-35	
Bush, Front of Rear Spring	All, not 33-H	33-36	
Bush & Bolt, Front of Rear Spring	All	37-39	
R/Spring Front Hanger - EXCHANGE	All	34-35	
(Reconditioned and with new bush)			
Radius Rod Rubber Bush	All	36-39	
Rear Axle to Spring Pads	All	34-54	
Front Spring Rubber Buffer	All, not 33-H	33-35	
Front Spring Long Bush	All 36 only	36	
Andre Hartford S.A. Mounting Nuts	R	33-39	
Anti-roll bar bush	Most	35-38	

11. MISCELLANEOUS

	<u>Models</u>	<u>Year</u>	<u>Price</u>
Silencer stainless steel	All	32-On	
Exhaust Down Pipe	8-cyl, not 33-H	33-36	
Exhaust Down Pipe	All 8-cyl	37-39	
(These Downpipes will easily adapt for 6 cylinder models)			
Exhaust Wrap	All		
Engine Mount Rubber	All, not 33-H	32-47	
Transmission Mount Rubber	All, not 33-H	33-54	
Transmission Side Buffer	All	34-39	
Gear Lever Knob	R	33-35	
Gear Lever Knob	H, T not 33-H	32-38	
Accelerator Pedal Rubber	H & T, Some R	32-54	
Clutch/Brake Pedal Rubber	All, not 33-H	32-47	pair
Clutch/Brake Pedal Cushions	All	34-47	pair

11. Miscellaneous (continued)

	<u>Models</u>	<u>Years</u>	<u>Price</u>
Rear Bumper Grommet	H,T	34-35	pair
Petrol Filler Pipe Grommet	All	All	
Petrol Filler Cap	All	32-53	
Starter Ring Gear	All, not 33-H	35-49	
" " "	"	32-34	
Oil Filter Gauze	All	32-52	
Wheel Spring Clip/Hub Cap	Wire Wheels Only	32-35	

Wheel Spring Clip/Hub Cap	
Rear Light Lens	
Side Light Lens	
Wheel Bolt	
Valvemaster (Recommended fuel additive)	

Wire Wheels Only	36-on
H,T	34-35
H,T	34-35
All	All
All	All

12. BALL AND ROLLER BEARINGS

	<u>Models</u>	<u>Years</u>	<u>Price</u>
Front Wheel, Outer	T-6 & T-8	32-33	
Front Wheel, Outer	All	34-37	
Front Wheel, Inner	All, not 33-H	32-35	
Front Wheel, Inner	All	36-48	
Spigot	All 8-cyl, not 33-H	33-52	
Spigot	All 6-cyl	32-47	
Clutch Thrust	All, not 33-H	32-54	
Clutch Thrust Assembly	All, not 33-H	32-54	
Gear Box, Front	All, not 33-H	32-39	
Gear Box, Rear	All, not 33-H	32-39	
Pinion	All, not 33-H	32-37	
Differential	All, not 33-H	32-37	
Rear Wheel	T-6 & T-8	33	
Rear Wheel	All	34-35	
Rear Wheel	All	36-39	
Rear Wheel	T	32	
Rear Wheel	H-112	37-39	

13. OIL SEALS

	<u>Models</u>	<u>Years</u>	<u>Price</u>
Timing Cover	All, not 33-H	32-56	
Collar for Timing Cover Oil Seal	All, not 33-H	32-56	
Clutch Thrust Seal	All, not 33-H	32-54	
Gearbox Front	All, not 33-H	32-40	
Gearbox Rear	All, not 33-H	32-40	
Pinion	All,	33	
Pinion	All,	34-35	
Pinion	All,	36-40	
Rear Axle, Inner	All T	32-33	
Rear Axle, Outer	All T	32-33	
Rear Axle, Inner	All	34-35	

13. Oilseals (continued)

	<u>Models</u>	<u>Years</u>	<u>Price</u>
Rear Axle, Outer	All	34-35	
Rear Axle, Inner	All except 112	36-39	
Rear Axle, Inner	112	36-40	
Rear Axle, Outer	All	36-39	
Front Axle	All T	32-33	
Front Axle	All	34-35	

Front Axle	All	36-39	
Steering Box	All, not 33-H	32-36	
14. GASKETS	Models	Years	PRICE
Overhaul set	All 8cyl.	34-36	
“ “	All 8 cyl.	37-52	
Cylinder Head	All 8-cyl, not 33-H	33-36	
Cylinder Head	All 8-cyl	37-52	
Cylinder Head 22 hp	All 6-cyl	34-36	
Cylinder Head 22 hp	All 6-cyl	37-47	
Cylinder Head 16.9 hp	All 6-cyl	32-39	
Manifold	All 8-cyl, not 33-H	33-36	
Manifold	All 8-cyl	37-52	
Manifold	All 6-cyl	32-36	
Manifold Single Choke	All 6-cyl	37-39	
Manifold Twin Choke	All 6-cyl	37-47	
Thermostat	All	36-40	
Water Pump	All, not 33-H	32-35	
Water Pump	All	36-40	
Front Engine Plate	All 8-cyl	34-52	
Front Engine Plate	All 6-cyl	32-47	
Rear Engine Plate	All 8-cyl	34-52	
Rear Engine Plate	All 6-cyl	34-47	
Rear Main Bearing	All 6-cyl	32-47	
Oil Pump	All, not 33-H	33-52	
Distributor	All		
Water Manifold	All 8-cylinder	33-52	
Water Manifold	All 6-cylinder	33-52	
Carburettor/Manifold	All Single Choke	All	
	Carburettor/Manifold All Twin Choke		
	All		
Valve Cover	All 8-cyl, not 33-H	33-52	
Valve Cover	All 6-cyl S/Choke	32-40	
Valve Cover	6-cyl T/Choke	37-47	
Timing Cover	All, not 33 H	32-47	
Sump	All 8-cyl, not 33-H	33-52	pair
Sump	All 6-cyl	32-47	pair
Fuel Pump, Series R	All	34-36	
Fuel Pump, Series AK	All	37-40	
Exhaust Flange	All 8-cyl	33-52	
Exhaust Flange	All 6-cyl	32-47	
14. Gaskets (continued)	Models	Year	Price
Clutch Cover	All 10" diameter	33-52	
Clutch Cover	All 9" diameter	33-54	
Gearbox Bell Housing	All	32-40	
Gearbox Top	All	32-40	
Gearbox Rear	All	32-40	
Differential	All	32-?	

15. PUBLICATIONS

	<u>Models</u>	<u>Year</u>	<u>Price</u>
Drivers Instruction Book (photocopy)	Various,	Enquire	
Andre Telecontrol Booklet (photocopy)	Most R	33-47	
Wiring Diagram	All R	33-47	
Lubrication Chart	All	34-39	

16. ALSO AVAILABLE

Some other New Parts

PLEASE NOTE:

Spares are only available to Full ROC Members.

Postage and Packing to be added to all orders.

Personal collection by appointment only!

All payments must be to the Railton Owners Club Ltd. Please see the 'Payments Methods' page on the ROC website and the notes in the lower section of the Club Shop page of each Bulletin.

Before ordering, please check current availability, prices and delivery charges with the Spares Registrar.

Contact:

Mike Stenhouse

Spares Registrar

Email: spares@railton.org.

Tel. No. 44 (0) 113 2504896

Address available to members on request.