

RAILTON OWNERS CLUB
SEPTEMBER 2026 - NEW SPARE PARTS LIST

For Railton (R); Brough Superior (BS); Hudson (H); Essex (E); Terraplane (T) models as indicated.
N.B. The prices are correct at the time of printing but are subject to change when stock is replenished.
Where Enquire/No Price is shown, the items is "Out of Stock", at present.

1. ENGINE

New Camshaft : All 8 cylinder 33-52

Reconditioned Camshaft : All 8 cylinder 33-52

Camshaft Thrust Button : All 8 cylinder 33-52 : All 6 cylinder 34-47

Camshaft Thrust Spring : All 8 cylinder 33-52 : All 6 cylinder 34-47

Camshaft Thrust Washer : All 8 cylinder 33-52 : All 6 cylinder 34-47

New Cam Follower Guides : All 8 cylinder 33-52 : All 6 cylinder 34-47

Second Hand Cam Follower Guides : All 8 cylinder 33-52 : All 6 cylinder 34-47

New Cam Follower : All 8 cylinder 33-52 : All 6 cylinder 34-47

Reconditioned Cam Follower : All 8 cylinder 33-52 : All 6 cylinder 34-47

New Tappet Screws (with nut) : All 8 cylinder 33-52 : All 6 cylinder 34-47

Reconditioned Tappet Screws : All 8 cylinder 33-52 : All 6 cylinder 34-47

Timing Gear - Mild Steel Pinion & Aluminium Wheel : All 8 cyl. 34-52 : All 6 cyl. 34-47

(Note : These Timing Gears are only interchangeable as a matched set.)

Inlet Valve - 11/32" dia stem : All 8 cylinder 34-52

Exhaust Valve - 11/32" dia stem : All 8 cylinder 34-52

Inlet & Exhaust Valve - 11/32" dia stem : All 6 cylinder 34-47

C.I. Valve Guide - 11/32" bore : All 8 cylinder 33-52 : All 6 cylinder 34-47

Colisbro Valve Guide - 11/32" bore : All 8 cylinder 33-52 : All 6 cylinder 34-47

Valve Spring : All 8 cylinder 33-52 : All 6 cylinder 34-47

Valve Spring Cap : All 8 cylinder 33-52 : All 6 cylinder 34-47

Valve Collet : All 8 cylinder 33-52 : All 6 cylinder 34-47

Little End Bush : All 8 cylinder 33-52 : All 6 cylinder 34-47

Big End Bolt : 6 & 8-cylinder engines with shimmed big ends only.

5/16" UNC x 1 1/4" Mild Steel Single Choke Carburettor/Manifold Stud (2 Required) : All

5/16" UNC x 1 1/4" St.Steel Single Choke Carburettor/Manifold Stud (2 Required) : All

5/16" UNC x 1 3/4" Mild Steel Single Choke Carburettor/Manifold Stud (2 Required) : All

5/16" UNC x 1 3/4" St.Steel Single Choke Carburettor/Manifold Stud (2 Required) : All

5/16" UNC x 2" Mild Steel Single Choke Carburettor/Manifold Stud (2 Required) : All

5/16" UNC x 2" St/Steel Single Choke Carburettor/Manifold Stud (2 Required) : All

3/8" UNC x 1 1/2" Mild Steel Twin Choke Carburettor/Manifold Stud (4 Required) : All

3/8" UNC x 1 1/2" St/Steel Twin Choke Carburettor/Manifold Stud (4 Required) : All

3/8" UNC x 1 3/4" Mild Steel Stud Inlet & Exhaust Manifold : All

3/8" UNC x 1 3/4" Stainless Steel Stud Inlet & Exhaust Manifold : All

3/8" UNC x 2 1/2" Mild Steel Stud : All 6 cylinder 34-47

3/8" UNC x 3" Mild Steel Stud : All 6 cylinder 34-47

3/8" UNC x 3 1/4" Mild Steel Hex Stud : All 6 cylinder 34-47

3/8" UNC x 3 5/8" Mild Steel Hex Stud : All 6 cylinder 34-47

1. Engine (continued)

7/16" UNC x 3 1/4" Mild Steel Stud (30 Required) : All 8-cylinder 36-52
7/16" UNC x 3 1/4" Stainless Steel Stud (30 Required) : All 8-cylinder 36-52
7/16" UNC x 3 3/8" Stainless Steel Stud : R8 33-36 (20 Required) : BS 33-36 (11 Required)
7/16" UNC x 3 3/8" Mild Steel Stud : R8 33-36 (20 Required) : BS 33-36 (11 Required)
7/16" UNC x 4 1/8" Mild Steel Stud : BS 33-36 (9 Required)
7/16" UNC x 4 1/8" Stainless Steel Stud : BS 33-36 (9 Required)
7/16" UNC x 4 5/8" Mild Steel Stud : R8 33-36 (3 Required) : BS 33-36 (2 Required)
7/16" UNC x 4 5/8" Stainless Steel Stud : R8 33-36 (3 Required) : BS 33-36 (2 Required)
7/16" UNC x 5" Mild Steel Stud : R8 33-36 (4 Required) : BS 33-36 (3 Required)
7/16" UNC x 5" Stainless Steel Stud : R8 33-36 (4 Required) : BS 33-36 (3 Required)
7/16" UNC x 5 3/8" Mild Steel Stud : R8 33-36 (3 Required) : BS 33-36 (2 Required)
7/16" UNC x 5 3/8" Stainless Steel Stud : R8 33-36 (3 Required) : BS 33-36 (2 Required)
7/16" UNC x 9 5/8" Mild Steel Stud (1 Required) : BS 33-36
7/16" UNC x 9 5/8" Stainless Steel Stud (1 Required) : BS 33-36
7/16" UNC x 10" Mild Steel Stud (1 Required) : BS 33-36
7/16" UNC x 10" Stainless Steel Stud (1 Required) : BS 33-36
7/16" UNC x 10 3/8" Mild Steel Stud (1 Required) : BS 33-36
7/16" UNC x 10 3/8" Stainless Steel Stud (1 Required) : BS 33-36
5/16" UNC Mild Steel Hex Nut (6 Required per Inlet Manifold) : All 6 cylinder 34-47
5/16" Mild Steel Flat Washer (6 Required per Inlet Manifold) : All 6 cylinder 34-47
5/16" UNC Stainless Steel Hex Nut (6 Required per Inlet Manifold) : All 6 cylinder 34-47
5/16" Dia. Stainless Steel Flat Washer (6 Required per Inlet Manifold) : All 6 cylinder 34-47
3/8" UNC Mild Steel Hex Nut
3/8" Dia. Mild Steel Flat Washer
3/8" UNC Stainless Steel Hex Nut
3/8" Dia. Stainless Steel Flat Washer
7/16" UNC Mild Steel Hex Nut
7/16" Dia. Mild Steel Flat Washer
7/16" UNC Stainless Steel Hex Nut
7/16" Dia. Stainless Steel Flat Washer
3/8" UNF Aero Nut : All 8 cylinder 34-52 : All 6 cylinder 34-47 : All T
(2 No per Con Rod - 6 No per Flywheel - 4 No per Universal Joint 32-39)
1/2" UNF Aero Nut : All 8 cylinder 34-52 : All 6 cylinder 34-47 : All T
(2 No per Main Bearing Cap)
Engine Mounts Assembly (complete kit) : All 8 cyl. 34-52 : All 6 cyl. 34-47 : All T
Engine Mount Rubbers Only : All 8 cylinder 34-52 : All 6 cylinder 34-47 : All T
Engine Mount Hardware Only : All 8 cylinder 34-52 : All 6 cylinder 34-47 : All T
Mechanical Tachometer Drive : All 8 cylinder 33-36
Flywheel Clutch Oil Plug : All 33-52
Flywheel Clutch Oil Plug Copper Washer : All 33-52
Flywheel Starter Ring Gear - 107 Teeth : Most 32-34 : Not 33 Hudson
Flywheel Starter Ring Gear - 107 Teeth : T 33-35 : 35 Hudson 6
Flywheel Starter Ring Gear - 134 Teeth : All 36-52
Pistons & Rings

2. CLUTCH

10" Dia Clutch Plate (Reconditioned) -**EXCHANGE ONLY** : All 8 cylinder 33-52 :

Some 6 cylinder 37-47

9" Dia Clutch Plate (Reconditioned) -**EXCHANGE ONLY** : Most 6 cylinder 32-47 :

Clutch Fingers (New) -**EXCHANGE ONLY** : All 33-52

Clutch Fingers (Reconditioned) -**EXCHANGE ONLY** : All 33-52

Clutch Finger Pins - 1 1/8" Long : All 33-52

Clutch Finger Pins - 1 3/16" Long : All 33-52

Clutch Finger Pins - 1 3/8" Long : All 33-52

Linkage Cushions : All 37-47

Linkage Bush : All 8 cyl 34-52 : All 6 cyl 34-47 : All T

Clutch Pedal Adjustment Link Assembly (Left and Right Handed Threads) : All 33-52

Hex Setscrews for Clutch Cover - 5/16" UNF x 3/4" Long : All 33-52

Spring Washers for Clutch Cover - 5/16" Dia : All 33-52

3. GEARBOX

Layshaft Circlip - 5/64" (0.078") Wide : All 32-39

Layshaft Circlip - 3/32" (0.094") Wide : All 32-39

Second Gear Circlip - 7/64" (0.109") Wide : All 32-39

Second Gear Circlip - 1/8" (0.125") Wide : All 32-39

Second Gear Circlip - 5/32" (0.156") Wide : All 32-39

Second Gear Circlip - 11/64" (0.172") Wide : All 32-39

Second Gear Thrust Washer - Phosphor Bronze : All 32-39

Slide Rod : All 32-39

Slide Rod Guide : All 32-39

Selector Rod Second/Top - 6 1/2" Long : All 32-36

Selector Rod Second/Top - 7 5/8" Long : All 36-39

Selector Rod First/Reverse/Top : All 32-39

26 No Needle Rollers - 3/32" x 11/16" : All 34-39

7 No 3/16" Dia Ball Bearings : All 34-39

Gearbox Rubber Mount : All 32-52

Gearbox Side Rubber Buffer (Set of 2) : All 32-52

4. PROPELLOR SHAFT AND REAR AXLE

Universal Joint Repair Kit (Set of 2) : All 32-36, Not 33H

Universal Joint Repair Kit (Set of 2) : All 36- Early 39

Prop Shaft Nuts : All 33-36, Not 33H (Use 3/8" UNF Aero Nut - see Section 1)

Half Shaft Nut - 3/4"-20 UNF : Most 32-39

Half Shaft Nut - 7/8"-18 UNF : Most 32-39

Differential Gear Thrust Washer : All 32-34, Not 33H

Differential Pinion Shaft : All 34-38, 32-33T

5. FRONT AXLE AND STEERING BOX

King Pin & Bush Set : All (Not 33H) 32-36

King Pin & Bush Set : All 37-39

King Pin Bottom Bush (Phosphor Bronze) : All 32-36, Not 33H

King Pin Bottom Bush (Phosphor Bronze) : All 37-39

King Pin Welch Plug : All 32-36, Not 33H

King Pin Welch Plug : All 37-39

King Pin Woodruff Key : All 32-39, Not 33H

Axles Wedges (Pair) 2 Degrees : All 32-36

Axles Wedges (Pair) 3 Degrees : All 32-36

Track Rod Ends (pair) - 9/16" UNF Thread : All (Not 33H) 32-36

Track Rod Ends (pair) - 11/16" UNF Thread : All (Not 33H) 33-39

Stub Axle Nut - 3/4"-16 UNF : 30-32 Hudson : 30-32 Essex : 33 Hudson

Stub Axle Nut - 5/8"-18 UNF : 32-33 Terraplane : 34-36 Hudson.

Stub Axle Nut (Second Hand) - 11/16"-18 UNF : All 36-39

Stub Axle Nut Washer (Second Hand) - 11/16" Bore : All 36-39

6. ELECTRICS

Distributor Cap : All 8 cylinder 34-47

Distributor Cap : All 8 cylinder 48-52

Distributor Cap : All 6 cylinder 32-50

Rotor Arm : All 8 cylinder 34-47

Rotor Arm : All 8 cylinder 48-52

Rotor Arm : All 6 cylinder 32-50

Contact Set : All 8 cylinder 34-47, All 6 cylinder 32-50

Contact Set : All 8 cylinder 48-52

Condenser : All 8 cylinder 34-52, All 6 cylinder 32-50

Spark Plug (L10 Equivalent) NGK B5HS : All 32-55

Spark Plug (J8 Equivalent) NGK B6S : All 36-47

H.T. Cable (Per Foot) : All

H.T. Connector - Straight (Lead to Plug) : All

H.T. Connector - 90° (Lead to Plug) : All

H.T. Connector (Lead to Plug) : All

H.T. Cover (Lead to Plug) : All

Distributor - RECONDITIONED : All 8 cylinder 34-47

Distributor - RECONDITIONED : All 6 cylinder 32-47

Ignition Coil 12 Volt : All

Ignition Coil 6 Volt : All

Oil Pressure Switch : All

Autolite Starter Solenoid (N.O.S.) : All 34-47

Starter Solenoid : All 34-47

Autolite Starter Motor Brushes : Most 34-47

Autolite Dynamo Brushes : Most 34-47

7. BRAKES

Master Cylinder : All 36-47

Wheel Cylinder - Right Front : All 36-47

Wheel Cylinder - Right Rear : All 36-47

Wheel Cylinder - Left Front : All 36-47

Wheel Cylinder - Left Rear : All 36-47

Copper Washer for Front Wheel Cylinder - 7/16" Dia : All 36-47

Copper Washer for Rear Wheel Cylinder - 3/8" Dia : All 36-47

Brass Adaptor for Rear Wheel Cylinder - 7/16-24 UNF x 3/8"-24 UNF : All 36-47

Repair Kit - Master Cylinder : All 36-47

Repair Kit - Wheel Cylinder : All 36-47

Brake Flexible Hose - 17.750" Long : All 36-47

Brake Flexible Hose Nut - 5/8"-18 UNF : All 36-47

Brake Flexible Hose Shakeproof Washer - 5/8" Dia : All 36-47

Brake Pipe Nut 7/16" - 20 UNF (With Lead) : All 36-47

Brake Pipe Nut 7/16" - 24 UNF (With Lead) : All 36-47

Brake Pipe Nut 7/16" - 24 UNF (No Lead) : All 36-47

Brake Back Plate Slot Cover (Metal) : All 33-47

Brake Back Plate Slot Cover (Rubber) : All 33-47

Brake Shoe Hold Down Kit : All 33-47

Hand Brake Springs : All 36-47

8. FUEL SYSTEM

Carter W1 Single Choke Carburettor Overhaul Kit : All 32-39

Carter WA1 Single Choke Carburettor Overhaul Kit : All 34-39

Carter WDO Twin Choke Carburettor Overhaul Kit : All 37-47

Carter W1 Single Choke Carburettor Float : All 32-39

Carter WA1 Single Choke Carburettor Float : All 34-39

Carter WDO Twin Choke Carburettor Float : All 37-47

Carter Carburettor Fuel Inlet Pipe Nipple

Carter Carburettor Fuel Inlet Pipe Nut

Carter Carburettor Linkage Spring Clips : Various sizes

Carter Carburettor Linkage 'E' Clips : Various sizes

Carter Carburettor Choke Housing Retaining Clips

Carter Carburettor Replacement Screws : Various sizes

AC Fuel Pump Overhaul Kit (Series 'R') : All 34-36

AC Fuel Pump Overhaul Kit (Series 'AK') : All 37-40

AC Fuel Pump Overhaul Kit (Series 'AB') : All 37-40

AC Flexible Fuel Pipe to Pump

9. COOLING SYSTEM

Water Pump Reconditioned - EXCHANGE : All 34-36

Water Pump Reconditioned - EXCHANGE : All 36-40

Water Manifold (Stainless Steel) : All 8 cylinder 33-36

Water Manifold (Stainless Steel) : All 8 cylinder 36-52

Water Manifold (Stainless Steel) : All 6 cylinder 32-36

Water Manifold (Stainless Steel) : All 6 cylinder 36-47

5/16" U.N.C. x 3/4" Stainless Steel Hex Setscrew : All

5/16" U.N.C. x 1" Stainless Steel Hex Setscrew : All

5/16" Stainless Steel Flat Washer : All

5/16" Fibre Washer : All

Thermostat - Bypass Type : All 36-39

Fan Belt : All 8 cylinder 33

Fan Belt : All 8 cylinder 34-36

Fan Belt : All 8 cylinder 36-47

Fan Belt : All 6 cylinder 32-36

Fan Belt : All 6 cylinder 36-47

Hose - 1 1/2" N.B. Straight : Generally from Radiator to Water Jacket (Check before Purchase)

Hose - 1 5/8" N.B. Straight : Generally from Radiator to Water Jacket (Check before Purchase)

Hose - 1 1/2" N.B. Convolutd : Generally from Pump to Radiator (Check before Purchase)

Hose - 1 5/8" N.B. Convolutd : Generally from Pump to Radiator (Check before Purchase)

Hose - 1" N.B. Straight : Pump Bypass

Radiator Cap : All Railton (Unplated)

10. SUSPENSION

Spring Shackle - 2¼" Centres : All 34-47 : Not 33H

Spring Shackle - 2¼" Centres (Second Hand) : All 34-47 : Not 33H

Spring Shackle - 3" Centres : All 34-47 : Not 33H

Spring Shackle - 3" Centres (Second Hand) : All 34-47 : Not 33H

Spring Shackle - 3½" Centres : All 34-47 : Not 33H

Spring Shackle - 3½" Centres (Second Hand) : All 34-47 : Not 33H

Shackle Bush - R.H. Thread : All 34-47 : Not 33H

Shackle Bush - L.H. Thread : All 34-47 : Not 33H

Shackle Bush - Long Front Spring : All 36

Bush & Bolt Front Spring : All 8 cylinder 32-33

Bush & Bolt Front Spring - 9/16" Dia : All 8 cylinder 34-36

Bush & Bolt Front Spring - 11/16" Dia : All 8 cylinder 34-36

Bush Front of Rear Spring : All 33-36 : Not 33H

Bush Front of Rear Spring : All 37-39

Radius Rod Rubber Bushes (Set of 4) : All 37-39

Rear Axle to Spring Pads : All 34-52

Anti-roll Bar Bushes (7/8" Dia)

Andre Hartford Shock Absorber Nut

11. BALL AND ROLLER BEARINGS

Flywheel Spigot Bearing : All 32-52
Front Gear Box Bearing : All 33-39
Rear Gear Box Bearing : All 33-39
Differential Pinion Bearing : All 32-37
Differential Wheel Bearing : All 32-37
Front Wheel Outer Bearing : 32-32 T6 & T8
Front Wheel Outer Bearing : All 34-37
Front Wheel Inner Bearing : All 33-36 : Not 33H
Front Wheel Inner Bearing : All 36-47
Rear Wheel Bearing : 32-32 T6 & T8
Rear Wheel Bearing : 37-39 112H
Rear Wheel Bearing : All 33-36
Rear Wheel Bearing : All 36-39

12. OIL SEALS

Timing Cover Oil Seal : All 32-52
Timing Cover Oil Seal Collar : All 32-52
Gearbox Front Oil Seal : All 33-39
Gearbox Rear Oil Seal : All 33-39
Differential Pinion Oilseal (1/2" Wide) : All 32-38
Differential Pinion Oilseal (5/8" Wide) : All 38-39
Steering Box Oil Seal : All 32-36
Front Wheel Axle Oil Seal : 32-33 T6 & T8
Front Wheel Axle Oil Seal : All 34-36
Front Wheel Axle Oil Seal : All 36-39
Rear Axle Inner Oil Seal : 32-33 T6 & T8
Rear Axle Outer Oil Seal : 32-33 T6 & T8
Rear Axle Inner Oil Seal : All 33-36
Rear Axle Outer Oil Seal : All 33-36
Rear Axle Inner Oil Seal : All 36-39
Rear Axle Outer Oil Seal : All 36-39
Rear Axle Inner Oil Seal : 37-39 112H

13. GASKETS

Cylinder Head Gasket : All 8 cylinder 33
Cylinder Head Gasket : All 8 cylinder 34-36
Cylinder Head Gasket : All 8 cylinder 36
Cylinder Head Gasket : All 8 cylinder 37-47
Cylinder Head Gasket : All 6 cylinder 34 (21.6 hp)
Cylinder Head Gasket : All 6 cylinder 36-36 (21.6 hp)
Cylinder Head Gasket : All 6 cylinder 37-47 (21.6 hp)
Cylinder Head Gasket : All 6 cylinder 34-40 (16.9 hp)
Manifold Damper Gasket : All 8 cylinder 33-36
Manifold Damper Gasket : All 8 cylinder 37-47

13. Gaskets (continued)

Manifold Gasket Set (Set of 10) : All 8 cylinder 33-36
Inlet Manifold Gasket Set (Set of 5) : All 8 cylinder 33-36
Outlet Manifold Gasket Set (Set of 5) : All 8 cylinder 33-36
Manifold Gasket Set (Set of 10) : All 8 cylinder 37-47
Inlet Manifold Gasket Set (Set of 5) : All 8 cylinder 37-47
Outlet Manifold Gasket Set (Set of 5) : All 8 cylinder 37-47
Exhaust Outlet Flange Gasket : All 8 cylinder 33-47
Manifold Gasket Set (Set of 5) : 6 cylinder (Single Choke) : 32E & 33H
Manifold Gasket Set (Set of 5) : 6 cyl. (Single Choke) : 32-36T & 34-36H
Manifold Gasket Set (Set of 5) : 6 cylinder (Single Choke) : All 37-39
Manifold Gasket Set (Set of 5) : 6 cylinder (Twin Choke) : All 37-39
Manifold Gasket Set (Set of 5) : 6 cylinder 34-40 (16.9 hp)
Carburettor/Inlet Manifold Gasket for Single Choke Unit : All 33-52
Carburettor/Inlet Manifold Gasket for Twin Choke Unit : All 33-52
Thermostat Gasket : All 8 cylinder 36-47 : All 6 cylinder 37-47
Water Pump Gasket : All 8 cylinder 32-36 : All 6 cylinder 32-36
Water Pump Gasket : All 8 cylinder 36-47 : All 6 cylinder 37-47
Front Engine Plate Gasket : All 8 cylinder 34-52 : All 6 cylinder 32-47
Rear Engine Plate Gasket : All 8 cylinder 34-52 : All 6 cylinder 32-47
Timing Cover Gasket : All 8 cylinder 34-52 : All 6 cylinder 32-47
Rear Main Bearing Gasket : All 8 cylinder 34-52 : All 6 cylinder 32-47
Oil Pump Gasket : All 8 cylinder 34-52 : All 6 cylinder 32-47
Distributor Gasket : All 8 cylinder 34-52 : All 6 cylinder 32-47
Fuel Pump Series R Gasket (Set of 5) : All 8 cylinder 32-36 : All 6 cylinder 32-36
Fuel Pump Series AK Gasket (Set of 5) : All 8 cylinder 36-40 : All 6 cylinder 36-40
Valve Cover Gasket - 3 7/8" Deep (Set of 2) : All 8 cylinder 34-52
Valve Cover Gasket - 3 1/2" Deep - Single Choke (Set of 2) : All 6 cylinder 32-36
Valve Cover Gasket - 3 7/8" Deep - Twin Choke (Set of 2) : All 6 cylinder 37-47
Breather Ring Gasket (Set of 2) : All 8 cylinder 34-52 : All 6 cylinder 32-47
Water Manifold Gasket : All 8 cylinder 34-52
Water Manifold Gasket : All 6 cylinder 32-47
Sump Gasket (Set of 2) : All 8 cylinder 33-52
Sump Gasket (Set of 2) : All 6 cylinder 32-47
Sump Gasket Oil Ring : All 6 cylinder 39-47
Sump Stiffener Strips (Set of 6) : All 8 cylinder 34-52
Sump Stiffener Strips (Set of 5) : All 6 cylinder 34-47
Replacement Hex Setscrews for Sump Stiffener Strips - 5/16" UNC x 1" Long : All 33-52
Clutch Cover Gasket (10" Diameter) : All 8 cylinder 34-52 : Most 6 cylinder 37-47
Clutch Cover Gasket (9" Diameter) : Some 6 cylinder 32-39
Gearbox Top Cover Gasket : All 32-40
Gearbox Front Gasket : All 32-40
Gearbox Rear Gasket : All 32-40
Gearbox Tailshaft Washer : All 32-40
Gearbox Reverse Gear Shaft Gasket : All 32-40

13. Gaskets (continued)

Gearbox Layshaft Gasket : All 32-40

Differential Gasket : All 32-39

14. MISCELLANEOUS

Wheel Spring Clip for Hub Cap - 4 Stud Wire Wheels Only : Certain 32-35

Wheel Spring Clip for Hub Cap - 5 Stud Wire Wheels Only : Certain 36

Wheel Spring Clip for Hub Cap - 5 Stud Disc Wheels Only : Certain 37-39

Railton Disc Badge for 1935-36 Hub Cap

Railton Badge for 1937-39 onwards Hub Cap

Wheel Bolt : All 33-52

1/8" BSP(T) M.S. Hex Plug (Rear Axle - replacement for Wrough Iron Square Headed Plugs)

1/4" NPT M.S. Hex Plug (Gearbox Oil Level - replacement for Wrough Iron Square Headed Plug)

3/8" NPT M.S. Hex Plug (Gearbox Drain - replacement for Wrough Iron Square Headed Plug)

1/2" NPT M.S. Hex Plug (Engine Sump and Differential - replacement for W/Iron Sq/Headed Plugs)

1/8" BSP Grease Nipple - Straight : Most 34-52

1/4" UNF Grease Nipple - Straight : Some 34-52

1/8" BSP Grease Nipple - 90° : Most 34-52

Clutch & Brake Pedal Rubbers (Set of 2) : All not 33H

Rear Bumper Grommet (Set of 2) : All 34-35

Rear Bumper Grommet (Set of 2) : All 36

Rear Bumper Grommet (Set of 2) : All 37-39

Petrol Filler Pipe Grommet : All

Rear Side Light Len - Hudson

Rear Side Light Len - Terraplane

Side Light Lens

15. ESSEX

Cylinder Head Gasket (2 11/16" Bore) : 25-28

Cylinder Head Gasket (2 3/4" Bore) : 29-30

Cylinder Head Gasket (2 7/8" Bore) : 31-32

Cylinder Head Gasket (2 15/16" Bore) : 32-33

Timing Cover Gasket : (1 No) - 23-28, (2 No) 29-31

Spark Plug NGK AB6 : 23-31

3/8" UNC x 2 1/2" Mild Steel Head Stud : E 25-33

3/8" UNC x 3" Mild Steel Head Stud : E 25-33

3/8" UNC x 3 1/4" Mild Steel Head Stud : E 25-33

3/8" UNC x 3 5/8" Mild Steel Head Stud : E 25-33

3/8" UNC x 4" Mild Steel Head Stud : E 25-33

16. PUBLICATIONS

Drivers Instruction Book : 1934 Railton 8
Drivers Instruction Book : 1935 Railton 8
Drivers Instruction Book : 1936 Railton 8
Drivers Instruction Book : 1937 Railton 6
Drivers Instruction Book : 1937 Railton 8
Drivers Instruction Book : 1933 Essex Terraplane 6
Drivers Instruction Book : 1938 Hudson Terraplane 6
Drivers Instruction Book : 1935 Brough Superior 8
Andre Telecontrol Booklet : Most Railtons

17. SECOND HAND SPARES

Second Hand spares - too numerous to list. See details below.

CONTACT DETAILS

NEW SPARES:

Mike Stenhouse
17 Peasehill Close
Rawdon
Leeds
LS19 6EF
0113-2504896
spares@railton.org

TELEPHONE:

EMAIL:

SECOND HAND SPARES:

Iain McKenzie
Unit B3
The Green Business Centre
Stanford Bridge
Worcs.
WR6 6SA
07971-424396
iain@fairmilerestorations.co.uk

TELEPHONE:

EMAIL:

PLEASE NOTE:

Postage and Packing to be added to all above
Prices.
A phone call or email first to confirm availability
and price is advised.